LifeSmart






Cololight Strip

Cololight Strip

Color your home, brighten your life.







Voice Control Starts with "Hi Siri.

Easy setup within only one step to control the Cololight Strip via Apple Home app

"Hi Siri, turn my strip to Red!"

OK, the Cololight Strip is off.

"Hi Siri, set the bedroom lights to 75%"



"Hi Siri, turn on my lights"

"Good night!"



Cololight STRIP by Siri Control

Light Effects Setting via Cololight App

Selection Light Effects
Marquee | Breathing | Flowing Water | Burst Flash

DIY Light Effects

Programmable light color, lighting time, flash frequency, etc.

XT1511 LED Driver Controller Chip

Make every single LED programmable with different light color, lighting time, flash frequency, etc.



STATISTICS.

Kitchen


Game Desk

Washroom

Cololight STRIP Movie Mode



IC-5050RGB LEDs



3000h LED Life Low power consumption

IC-5050RGB LEDs

Fast heat dissipation, perfect light efficiency



IP65 Protected by PU glue and is waterproof

3M Adhesive Easy installation



Length adjustable by cutting

Spec Comparison

	Cololight Strip	Govee Wi-Fi Strip	Govee Waterproof	Cololight Strip	Govee LED Strip
		Govee wi-Fi Strip	Strip	Sololight Strip	
Color	RGB	RGB	RGB	RGB	RGB
Power Supply	5V 2A	12V 1.5A	12V 2A	5V 2A	5V 2A
Power Consumptio n	10W	18W	24W	10W	10W
Waterproof	\checkmark	Х	\checkmark	\checkmark	Х
Voice Control	Apple Siri / Alexa / Google Assistant	Alexa / Google Assistant	Alexa / Google Assistant	Apple Siri / Alexa / Google Assistant	Alexa / Google Assistant
Lamp Beads	30 LEDs/M	30 LEDs/M	30 LEDs/M	60 LEDs/M	30 LEDs/M
	Dimmable, Color Changing, Music Sync, App Controlled, DIY Light Effects , Selection Scene Mode, App Controlled	Color changing, Music Sync	Dimmable, Color Changing, Music Sync, App Controlled	Dimmable, Color Changing, Music Sync, App Controlled, DIY Light Effects , Selection Scene Mode, App Controlled	Dimmable, Sync to Music, 3-way switching

Spec. of Cololight STRIP Controller

Size	46.5x28x30.5mm	Operating Humidity	5-90%				
Weight	54g	Casing	ABS	Reset Hole Pickup Hole			
Protocol	Wi-Fi 802.11b/g/n	Power Supply	DC 5V 2A				
Adjust Mode	Touch Button/App/Voice Control	Static Consumption	0.3W				
Working Temperature	-5-45° C	Max. Power Consumption	10W per unit				
Cololight STRIP Set	Power Adapter, Cololight Strip(2M), Connector, Controller						